MANITOBA VITAL STATISTICS

A REGIONAL ANALYSIS

MANITOBA
BUREAU OF STATISTICS

RIGHT ANSWERS
RIGHT NOW

MANITOBA VITAL STATISTICS

A REGIONAL ANALYSIS

2004

MBS 2005-5

PRICE: $35.00

SEPTEMBER 2005

BUREAU
OF STATISTICS

Manitoba

EXECUTIVE SUMMARY

LIVE BIRTHS

There were 13,729 live births in Manitoba during 2004. Of these, 6,992 (50.9%) were to Winnipeg women. The North region had the highest birth rate with 22.2 births per thousand population, followed by the South Central and North Central regions with a birth rate of 13.4 and 13.1 respectively. The lowest birth rates were in the Interlake and Parklands regions, with rates of 8.9 and 9.1 respectively. Winnipeg had a birth rate of 10.8 while Manitoba's birth rate was 11.7 births per thousand population during 2004.

There were 6,664 (48.5%) female births and 7,065 (51.5%) male births. For every thousand females in the population there were 11.3 female births, compared to 12.2 male births for every thousand males in the population. Only the Parklands region recorded higher numbers of female births than male births in 2004.

DEATHS

There were 9,822 deaths in Manitoba during 2004: 5,502 (56.0%) occurred to Winnipeg residents: the Winnipeg death rate 8.5 per thousand Winnipeg residents. The regions with the highest death rates were the Parklands and Southwest regions with 14.5 and 10.6 deaths per thousand population. The North region had the lowest death rate with 5.6, followed by the Southeast with a rate of 6.2. The death rate for Manitoba was 8.4.

There were 4,937 (50.3%) female deaths, compared to 4,885 (49.7%) male deaths. The male death rate was higher than the female death rate in five of Manitoba's eight Economic Regions: the South west and Winnipeg regions had a higher female death rate than the male death rate while the female and male rates in the Interlake were both 7.8. At the Manitoba level, the female and male death rates were both 8.4.

STILLBIRTHS

The number of stillbirths in Manitoba in 2004 was 117. Of these stillbirths, 54 (46.2%) occurred to Winnipeg residents. The North had the second highest number with 14 (12.0%) stillbirths, followed by the South Central with 13 (11.1%) and the Southwest region with 11 (9.4%) stillbirths. The Southeast region recorded 7 stillbirths, the North Central recorded 5, the Interlake recorded 9 and the Parklands recorded 4 stillbirths during 2004. The Manitoba stillbirth rate was 8.5 per thousand live births.

The rate of female stillbirth was 7.2 per thousand female live births and the rate of male stillbirth was 9.8 per thousand male live births.

NATURAL INCREASE

In 2004, Manitoba had a net population gain of 3,907 persons due to natural increase. Manitoba's rate of natural increase in 2004 was 3.3 persons per thousand population. The Parklands region was the only region to register more deaths than births and had a rate of natural increase of -5.5 persons per thousand. The North region had the greatest rate of natural increase, that being 16.7, followed by South Central with 5.7 and the Southeast with a rate of 5.6; Winnipeg had a rate of natural increase of 2.3 per thousand Winnipeg residents.

Natural increase rates at the Manitoba level were 2.9 females per thousand and 3.8 males per thousand. Rates in Winnipeg were 1.6 females per thousand and 3.0 males per thousand.

1994 to 2004:

For the 1994 to 2004 period, the number of births to Manitoba women decreased from 16,438 in 1994 to 13,729 in 2004. The average number of births decreased by approximately 270 births per year during that time span. During that same time period, the total Manitoba population went from 1,123,200 to 1,170,300: even with the 4.2% population increase, the Manitoba birth rate fell from 14.6 births per thousand population in 1994 to 11.7 births per thousand population in the 2004 calendar year. It is interesting to note that the total Manitoba births registered with Vital Statistics for the 2004 calendar year is at its lowest level since 1939.

The number of deaths to Manitoba residents increased from 9,097 in 1994 to 9,822 in 2004. The average number of deaths increased by less than 100 deaths per year during this time period. The number of deaths due to cancer and heart disease were virtually the same in 1994 and 2004: 5,009 in 1994 and 5,010 in 2004. The percentage of deaths due to cancer or heart disease as a percent of total deaths went from 55.1% in 1994 to 51.0% in 2004. The Manitoba resident death rate increased from 8.1 per thousand population in 1994 to 8.4 per thousand in 2004.

The gain in population due to natural increase (births minus deaths) went from 7,341 in 1994 to 3,907 in 2004: this 47 percent drop was the result of declining number of births and increasing number of deaths. The natural increase rate went from 6.5 per thousand population in 1994 to 3.3 per thousand in 2004.

The average number of infant deaths (under one year of age) was 101 during the 1994 to 2004 period: from a high of 117 in 1999 to a low of 89 in the 2000 and 2001 calendar years.

The following table and charts summarise the births and deaths for the 1994 to 2004 calendar years.

NOTE: The regional population estimates used in this publication are preliminary postcensal estimates for Census Divisions released earlier this year.

MANITOBA VITAL STATISTICS: 1994 TO 2004

	POPULATION (000's)	LIVE BIRTHS	INFANT DEATHS	TOTAL DEATHS	HEART	CANCER	RATES		
							LIVE BIRTHS	DEATHS	NATURAL INCREASE
1994	1,123.2	16,438	115	9,097	2,628	2,381	14.6	8.1	6.5
1995	1,129.1	16,085	114	9,575	2,808	2,473	14.2	8.5	5.8
1996	1,134.2	15,373	101	9,407	2,723	2,449	13.6	8.3	5.3
1997	1,136.1	14,548	104	9,418	2,608	2,424	12.8	8.3	4.5
1998	1,137.5	14,348	93	9,723	2,618	2,550	12.6	8.5	4.1
1999	1,142.5	14,191	117	9,781	2,588	2,523	12.4	8.6	3.9
2000	1,147.4	13,979	89	9,821	2,554	2,575	12.2	8.6	3.6
2001	1,151.3	13,888	89	9,650	2,378	2,519	12.1	8.4	3.7
2002	1,155.6	13,787	96	9,782	2,290	2,547	11.9	8.5	3.5
2003	1,161.6	13,825	104	9,787	2,187	2,553	11.9	8.4	3.5
2004	1,170.3	13,729	94	9,822	2,318	2,692	11.7	8.4	3.3

NOTE: RATES FOR LIVE BIRTHS, DEATHS, AND NATURAL INCREASE ARE PER 1000 POPUALTION.

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE
STATISTICS CANADA




Deaths: 1994 to 2004
Both Sexes
NUMBER
10,000
9,500
9,000
8,500
9,097
9,575
9,407
9,418
9,723
9,781
9,821
9,650
9,782
9,787
9,822
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004


Natural Increase: 1994 to 2004
Both Sexes
NUMBER
8,000
6,000
4,000
2,000
0
7,341
6,510
5,966
5,130
4,625
4,410
4,158
4,238
4,005
4,038
3,907
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004


Infant Deaths: 1994 to 2004
Both Sexes
NUMBER
120
100
80
60
115
114
101
104
93
117
89
89
96
104
94
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004


Deaths Due to Heart Disease or Cancer
As a Percent of Total Deaths
1994 to 2004: Both Sexes
PERCENT
60.0
45.0
30.0
15.0
0.0
Cancer
Heart Disease
55.1
55.2
55.0
53.4
53.2
52.3
52.2
50.7
49.4
48.4
51.0
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004

CONTENTS

		Page
Executive Summary		1
Introduction		9
Regional Overview		11
Weight-Specific Births and Stillbirths		14
Age-Specific Deaths		16
Infant Deaths		18
Infant Deaths by Type and Economic Region		20
Cause of Death		22
APPENDIX A:	Births by Weight, Sex and Economic Region	25
APPENDIX B:	Stillbirths by Weight, Sex and Economic Region	29
APPENDIX C:	Deaths by Age, Sex and Economic Region	33
APPENDIX D:	Infant Deaths by Age, Sex and Economic Region	37


OFFICIAL REGIONS
FOR DATA COLLECTION
NORTH
PARKLANDS
NORTH CENTRAL
SOUTH CENTRAL
SOUTHWEST
SOUTHEAST
INTERLAKE
Lake Manitoba
Lake Winnipeg
Lake Winnipegosis
Cedar Lake
Dauphin Lake
KELSEY
The Pas
Grand Rapids
Berens River
Bloodvein
Gypsumville
Moosehorn
Fisher Branch
Riverton
Arborg
Eriksdale
Lundar
Gimli
Inwood
Teulon
Selkirk
Beausejour
Stonewall
Woodlands
Portage la Prairie
Neepawa
Gladstone
Minnedosa
Rapid City
Oak River
Hamiota
Virden
Elkhorn
Rivers
Brandon
Carberry
Neepawa
Minnedosa
Rossburn
Russell
Binscarth
Angusville
Inglis
Rossburn
Shoal Lake
Strathclair
Newdale
Erickson
Arden
Langruth
Glenella
Roblin
Dauphin
Gilbert Plain
Grandview
Ethelbert
Fork River
Rorketon
Swan River
Minitonas
Bowsman
Russell
Birtle
Foxwarren
Boissevain
Pierson
Tilson
Melita
Napinka
Waskada
Deloraine
Killarney
Turtle Mountain
Crystal City
Pilot Mound
Manitou
Morden
Winkler
Altona
Gretna
Emerson
Letellier
Dominion City
Vita
Sprague
Steinbach
La Broquerie
Ste. Anne
Lorette
Niverville
Sanford
Starbuck
Elm Creek
Carman
Somerset
Notre Dame
Holland
Glenboro
Souris
Reston
Virden
Oak Lake
Alexander
Wawanesa
Treherne
Morris
Roland
Thompson
Mafeking
Mountain
Bifrost
Hodgson
Fisher
Ashern
Siglunes
Lundar
Coldwell
Armstrong
Gimli
Inwood
Teulon
Rockwood
Woodlands
Stonewall
Selkirk
East Selkirk
Beausejour
Lac du Bonnet
Great Falls
St Georges
Ste. Rose du Lac
Ochre River
Shellmouth
Boulton
Inglis
Grandview
Gilbert Plain
Dauphin
Rorketon
Lawrence
Mossey River
Fork River
Ethelbert
Winnipegosis
Swan River
Minitonas
Bowsman
Shell River
Hillsburg
Roblin
Russell
Binscarth
Angusville
Rossburn
Shoal Lake
Strathclair
Harrison
Newdale
Clan William
Erickson
Rose Dale
Lansdowne
Arden
Langruth
Glenella
Minto
Minnedosa
Saskatchewan
Rapid City
Oak River
Odanah
Langford
Hamiota
Minota
McAuley
Archie
Ellice
St Lazare
Birtle
Foxwarren
Kenton
Woodworth
Rivers
Daly
Elton
Forest Station
Brandon
Carberry
North Cypress
Oak Lake
Alexander
Whitehead
Cornwallis
Pipestone
Reston
Souris
Glenwood
Oakland
Wawanesa
Newdale
South Cypress
Glenboro
Albert
Tilson
Hartney
Cameron
Whitewater
Minto
Riverside
Dunrea
Strathcona
Belmont
Argyle
Baldur
Lorne
Somerset
Notre Dame
Holland
Victoria
South Norfolk
Treherne
St Claude
Grey
Elm Creek
Dufferin
Carman
Thompson
Roland
Mafeking
Mountain
Morris
Macgregor
North Norfolk
Portage la Prairie
Elie
Cartier
Winnipeg
Rosser
St Paul
Birds Hill
Oakbank
Dugald
Springfield
Broken Head
Tache
Ste. Anne
Lac du Bonnet
Pinawa
White Mouth
Rennie
Reynolds
Hadashville
Piney
Stuartburn
Franklin
Dominion City
Letellier
Rhineland
Altona
Plum Coulee
Morden
Winkler
Stanley
Pembina
Louise
Crystal City
Pilot Mound
Manitou
Roblin
Cartwright
Killarney
Turtle Mountain
Boissevain
Morton
Arthur
Brenda
Waskada
Deloraine
Edward
Pierson
Melita
Napinka
Whitewater
Minto
Hartney
Cameron
Albert
Tilson
Pipestone
Reston
Souris
Glenwood
Oakland
Wawanesa
Newdale
Virden
Oak Lake
Alexander
Whitehead
Cornwallis
Elkhorn
Wallace
Woodworth
Kenton
Rivers
Daly
Elton
Forest Station
Brandon
Carberry
North Cypress
Neepawa
Minnedosa
Rapid City
Oak River
Hamiota
Minota
McAuley
Archie
Ellice
St Lazare
Birtle
Foxwarren
Shoal Lake
Strathclair
Harrison
Newdale
Clan William
Erickson
Rose Dale
Lansdowne
Arden
Langruth
Glenella
Roblin
Dauphin
Gilbert Plain
Grandview
Ethelbert
Fork River
Rorketon
Swan River
Minitonas
Bowsman
Shell River
Hillsburg
Russell
Binscarth
Angusville
Rossburn
Ochre River
Ste. Rose du Lac
Shellmouth
Boulton
Inglis
Grandview
Gilbert Plain
Dauphin
Rorketon
Lawrence
Mossey River
Fork River
Ethelbert
Winnipegosis
Swan River
Minitonas
Bowsman
Shell River
Hillsburg
Roblin
Russell
Binscarth
Angusville
Rossburn
Shoal Lake
Strathclair
Harrison
Newdale
Clan William
Erickson
Rose Dale
Lansdowne
Arden
Langruth
Glenella
Minto
Minnedosa
Saskatchewan
Rapid City
Oak River
Odanah
Langford
Hamiota
Minota
McAuley
Archie
Ellice
St Lazare
Birtle
Foxwarren
Kenton
Woodworth



Cartography by: Manitoba Natural Resources
Land Information Division

© Manitoba Bureau of Statistics

MAN 1419

INTRODUCTION

This report presents data on the vital statistics (births, deaths, and stillbirths) occurring during 2004 in the province of Manitoba. Historical data from 1984 to 2003 is available in previous Manitoba Bureau of Statistics reports. The charts and tables in this report were constructed using data that was reported by the Vital Statistics Agency, Manitoba Finance.

The data in this report and the 2002 and 2003 reports refer to events that **occurred in Manitoba and involved Manitobans by place of residence**. Previous reports presented data by place of occurrence. Where all characteristics of an event have not been recorded, the vital event has been omitted from that statistical table.

The population figures used are from the Statistics Canada July 1, 2004 preliminary postcensal estimates of population.

Manitoba is divided into 8 Official Regions for Data Collection (also known as Economic Regions). The following table illustrates the association between data collection region, economic region, and census division.

OFFICIAL REGION FOR DATA COLLECTION	ECONOMIC REGION	CENSUS DIVISION
Southeast	10	1, 2, 12
South Central	20	3, 4
Southwest	30	5, 6, 7, 15
North Central	40	8, 9, 10
Winnipeg	50	11
Interlake	60	13, 14, 18
Parklands	70	16, 17, 20
North	80	19, 21, 22, 23

The map on the opposite page also illustrates these relationships.

Further information and custom tabulations on the 2004 vital statistics can be obtained from the Manitoba Bureau of Statistics by contacting Marcel Chartier at (204) 945-2991.

TABLE VIII presents Manitoba deaths during 2004 by cause of death. The causes of death are coded according to the "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death", based on the Tenth Revision Conference, 2000.

The following lists the major causes of death and their codes:

Infectious and Parasitic Diseases (A00-B99)

Cancer (C00-C97)

Other Neoplasms (D00-D48)

Diabetes (E10-E14)

Psychoses (F01-F39)

Hereditary and Degenerative Central Nervous System (G10-G37)

Hypertensive Disease (I10-I13)

Heart Disease (I20-I51)

Cerebrovascular Disease (I60-I69)

Diseases of Arteries, Arterioles, Capillaries (I70-I78)

Pneumonia (J12-J18)

Chronic Obstructive Pulmonary Disease (J40-J47)

Other Respiratory Diseases (J80-J98)

Other Intestinal and Peritoneum Diseases (K55-K66)

Other Diseases of the Digestive System (K70-K92)

Metabolic and Immunity Disorders (D80-89, E65-E88, M10)

Musculoskeletal System and Connective Tissue (M00-M08, M11-M99)

Nephritis, Nephrotic Syndrome, Nephrosis (N00-N07, N17-N19, N25-N27)

Ill-Defined and Unknown Causes (R95-R99)

Accidents (V01-X59, Y40-Y86, Y88)

Other Causes (D50-D76, E00-E07, E15-E64, F40-F99, G00-G09, G40-G98, H00-H93, I00-I09, I80-I99, J00-J11, J20-J39, J60-J70, K00-K14, K20-K31, K35-K52, L00-L98, M10, N10-N15, N20-N23, N28-N98, O00-O99, P00-P96, Q00-Q99, R00-R94, X60-Y36, Y870, Y871, Y890, Y891, Y892 and Y899)

TABLE I MANITOBA 2004 VITAL STATISTICS BY ECONOMIC REGION BOTH SEXES

REGION	POPULATION IN 000'S (JULY 1/04)	LIVE BIRTHS	STILL BIRTHS	DEATHS	NATURAL INCREASE	RATES			
						LIVE BIRTHS	STILL BIRTHS	DEATHS	NATURAL INCREASE
SOUTHEAST	93.7	1,105	7	577	528	11.8	6.3	6.2	5.6
SOUTH CENTRAL	55.3	741	13	424	317	13.4	17.5	7.7	5.7
SOUTHWEST	105.6	1,168	11	1,120	48	11.1	9.4	10.6	0.5
NORTH CENTRAL	49.6	648	5	406	242	13.1	7.7	8.2	4.9
WINNIPEG	649.7	6,992	54	5,502	1,490	10.8	7.7	8.5	2.3
INTERLAKE	86.8	771	9	677	94	8.9	11.7	7.8	1.1
PARKLANDS	43.9	398	4	638	-240	9.1	10.1	14.5	-5.5
NORTH	85.8	1,906	14	478	1,428	22.2	7.3	5.6	16.7
MANITOBA	1,170.3	13,729	117	9,822	3,907	11.7	8.5	8.4	3.3

NOTE: RATES FOR LIVE BIRTHS, DEATHS, AND NATURAL INCREASE ARE PER 1000 POPUALTION
RATE FOR STILLBIRTHS IS PER 1000 LIVE BIRTHS.
DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE
STATISTICS CANADA



TABLE II MANITOBA 2004 VITAL STATISTICS BY ECONOMIC REGION FEMALES

REGION	POPULATION IN 000'S (JULY 1/04)	LIVE BIRTHS	STILL BIRTHS	DEATHS	NATURAL INCREASE	RATES			
						LIVE BIRTHS	STILL BIRTHS	DEATHS	NATURAL INCREASE
SOUTHEAST	45.9	551	1	259	292	12.0	1.8	5.6	6.4
SOUTH CENTRAL	27.5	353	8	192	161	12.8	22.7	7.0	5.9
SOUTHWEST	53.5	552	6	575	-23	10.3	10.9	10.7	-0.4
NORTH CENTRAL	24.6	310	3	185	125	12.6	9.7	7.5	5.1
WINNIPEG	331.5	3,410	22	2,885	525	10.3	6.5	8.7	1.6
INTERLAKE	42.6	377	2	334	43	8.8	5.3	7.8	1.0
PARKLANDS	22.1	217	0	301	-84	9.8	0.0	13.6	-3.8
NORTH	41.7	894	6	206	688	21.4	6.7	4.9	16.5
MANITOBA	589.4	6,664	48	4,937	1,727	11.3	7.2	8.4	2.9

TABLE III MANITOBA 2004 VITAL STATISTICS BY ECONOMIC REGION MALES

REGION	POPULATION IN 000'S (JULY 1/04)	LIVE BIRTHS	STILL BIRTHS	DEATHS	NATURAL INCREASE	RATES			
						LIVE BIRTHS	STILL BIRTHS	DEATHS	NATURAL INCREASE
SOUTHEAST	47.8	554	6	318	236	11.6	10.8	6.6	4.9
SOUTH CENTRAL	27.8	388	5	232	156	14.0	12.9	8.3	5.6
SOUTHWEST	52.0	616	5	545	71	11.8	8.1	10.5	1.4
NORTH CENTRAL	25.0	338	2	221	117	13.5	5.9	8.8	4.7
WINNIPEG	318.2	3,582	32	2,617	965	11.3	8.9	8.2	3.0
INTERLAKE	44.1	394	7	343	51	8.9	17.8	7.8	1.2
PARKLANDS	21.8	181	4	337	-156	8.3	22.1	15.4	-7.1
NORTH	44.0	1,012	8	272	740	23.0	7.9	6.2	16.8
MANITOBA	580.8	7,065	69	4,885	2,180	12.2	9.8	8.4	3.8

NOTE: RATES FOR LIVE BIRTHS, DEATHS, AND NATURAL INCREASE ARE PER 1000 POPUALTION.
RATE FOR STILLBIRTHS IS PER 1000 LIVE BIRTHS.

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE
STATISTICS CANADA


Rates of Natural Increase
By Economic Region: 2004
Female
Rate
16.0
8.0
0.0
-8.0
6.4
5.9
-0.4
5.1
1.6
1.0
-3.8
16.5
2.9
SOUTHEAST
S. CENTRAL
SOUTHWEST
N. CENTRAL
WINNIPEG
INTERLAKE
PARKLANDS
NORTH
MANITOBA
Rates are per 1000 Population


Rates of Natural Increase
By Economic Region: 2004
Male
Rate
16.0
8.0
0.0
-8.0
4.9
5.6
1.4
4.7
3.0
1.2
-7.1
16.8
3.8
SOUTHEAST
S. CENTRAL
SOUTHWEST
N. CENTRAL
WINNIPEG
INTERLAKE
PARKLANDS
NORTH
MANITOBA
Rates are per 1000 Population

TABLE IV MANITOBA 2004 BIRTHS AND STILLBIRTHS BY WEIGHT

WEIGHT	BOTH SEXES			FEMALES			MALES		
	LIVE BIRTHS	STILL BIRTHS	STILL BIRTH RATE	LIVE BIRTHS	STILL BIRTHS	STILL BIRTH RATE	LIVE BIRTHS	STILL BIRTHS	STILL BIRTH RATE
UNDER 500G	24	40	1,666.7	12	18	1,500.0	12	22	1,833.3
500 - 999G	47	18	383.0	26	7	269.2	21	11	523.8
1000-1499G	66	7	106.1	31	2	64.5	35	5	142.9
1500-1999G	150	8	53.3	81	2	24.7	69	6	87.0
2000-2499G	482	8	16.6	236	3	12.7	246	5	20.3
2500-2999G	1,718	12	7.0	944	7	7.4	774	5	6.5
3000-3499G	4,509	15	3.3	2,420	4	1.7	2,089	11	5.3
3500-3999G	4,492	3	0.7	2,098	2	1.0	2,394	1	0.4
4000-4499G	1,784	5	2.8	673	3	4.5	1,111	2	1.8
4500-4999G	388	1	2.6	120	0	0.0	268	1	3.7
5000-5499G	59	0	0.0	22	0	0.0	37	0	0.0
5500-5999G	10	0	0.0	1	0	0.0	9	0	0.0
6000-6499G	0	0	n/a	0	0	n/a	0	0	n/a
OVER 6500G	0	0	n/a	0	0	n/a	0	0	n/a
UNKNOWN	0	0	n/a	0	0	n/a	0	0	n/a
TOTALS	13,729	117	8.5	6,664	48	7.2	7,065	69	9.8

NOTE: STILLBIRTH RATE IS PER 1000 LIVE BIRTHS.

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE


Live Births
By Weight and Sex
2004
THOUSANDS
2.5
2.0
1.5
1.0
0.5
0.0
0.2 0.1
0.2 0.2
0.9 0.8
2.4 2.1
2.1 2.4
0.7 1.1
0.1 0.3
UNDER 2000
2000-2499G
2500-2999G
3000-3499G
3500-3999G
4000-4499G
4500 OR MORE
FEMALE
MALE


Stillbirths
By Weight and Sex
2004
NUMBER
40
30
20
10
0
29 44
3 5
7 5
4 11
2 1
3 2
0 1
UNDER 2000
2000-2499G
2500-2999G
3000-3499G
3500-3999G
4000-4499G
4500 OR MORE
FEMALE
MALE

TABLE V MANITOBA 2004 DEATHS BY AGE GROUP AND SEX

AGE IN YEARS	BOTH SEXES POPULATION IN 000'S (JULY 1/04)	BOTH SEXES DEATHS	BOTH SEXES DEATH RATE	FEMALES POPULATION IN 000'S (JULY 1/04)	FEMALES DEATHS	FEMALES DEATH RATE	MALES POPULATION IN 000'S (JULY 1/04)	MALES DEATHS	MALES DEATH RATE
UNDER 1	13.9	94	6.8	6.7	43	6.4	7.2	51	7.1
1 - 4	56.5	14	0.2	27.6	9	0.3	28.9	5	0.2
5 - 9	77.9	9	0.1	37.8	4	0.1	40.1	5	0.1
10-14	85.3	15	0.2	41.6	8	0.2	43.7	7	0.2
15-19	83.8	65	0.8	41.1	16	0.4	42.7	49	1.1
20-24	82.2	65	0.8	39.8	23	0.6	42.4	42	1.0
25-29	78.4	57	0.7	38.5	21	0.5	40.0	36	0.9
30-34	77.2	68	0.9	37.8	20	0.5	39.4	48	1.2
35-39	80.1	93	1.2	39.1	40	1.0	40.9	53	1.3
40-44	94.3	157	1.7	46.5	46	1.0	47.8	111	2.3
45-49	87.9	190	2.2	43.5	87	2.0	44.4	103	2.3
50-54	77.6	299	3.9	39.3	110	2.8	38.3	189	4.9
55-59	66.8	412	6.2	33.7	166	4.9	33.2	246	7.4
60-64	49.9	513	10.3	25.4	205	8.1	24.6	308	12.5
65-69	40.4	660	16.3	21.0	251	11.9	19.4	409	21.1
70-74	37.2	939	25.3	19.9	389	19.6	17.3	550	31.8
75-79	32.5	1,289	39.6	18.6	578	31.0	13.9	711	51.1
80-84	25.9	1,662	64.3	16.1	842	52.3	9.8	820	83.8
85-89	14.1	1,534	108.5	9.4	901	95.6	4.7	633	134.1
90 & OVER	8.2	1,686	205.0	6.1	1,177	193.5	2.1	509	237.5
TOTALS	1,170.3	9,822	8.4	589.4	4,937	8.4	580.8	4,885	8.4

NOTE: DEATH RATE IS DEATHS PER 1000 POPULATION.
ONE FEMALE DEATH WHERE AGE NOT SPECIFIED.

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE
STATISTICS CANADA




Deaths By
Age Group: 2004
Females
NUMBER
1600
1200
800
400
0
43
13
24
44
60
133
276
456
967
1,743
1,177
UNDER 1
1 - 9
10-19
20-29
30-39
40-49
50-59
60-69
70-79
80-89
90 & OVER


Deaths By
Age Group: 2004
Males
NUMBER
1600
1200
800
400
0
101
214
435
717
1,261
1,453
509
30-39
40-49
50-59
60-69
70-79
80-89
90 & OVER

TABLE VI MANITOBA 2004 INFANT DEATHS BY AGE

AGE	BOTH SEXES		FEMALES		MALES	
	DEATHS	DEATH RATE	DEATHS	DEATH RATE	DEATHS	DEATH RATE
UNDER 1 DAY	45	3.3	26	3.9	19	2.7
1 - 6 DAYS	11	0.8	3	0.5	8	1.1
7 - 13 DAYS	6	0.4	1	0.2	5	0.7
14 - 27 DAYS	5	0.4	2	0.3	3	0.4
28 - 91 DAYS	11	0.8	4	0.6	7	1.0
92 DAYS - 6 MONTHS	7	0.5	2	0.3	5	0.7
6 MONTHS - 1 YEAR	9	0.7	5	0.8	4	0.6
NEONATAL	67	4.9	32	4.8	35	5.0
POST-NEONATAL	27	2.0	11	1.7	16	2.3
INFANT	94	6.8	43	6.5	51	7.2
PERINATAL	173	12.5	77	11.5	96	13.5

NOTE: INFANT DEATH (UNDER 1 YEAR) RATES ARE PER 1000 LIVE BIRTHS.
PERINATAL DEATH RATES ARE PER 1000 TOTAL BIRTHS
NEONATAL IS A DEATH UNDER 28 DAYS OF AGE, EXCLUDING STILLBIRTHS
POST-NEONATAL IS AN INFANT DEATH AT 28 DAYS OF AGE OR OVER
PERINATAL IS A DEATH AT LESS THAN 7 DAYS OF AGE OR A STILLBIRTH

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE




Infant Deaths By
Age Group: 2004
Females
NUMBER
26
3
1
2
4
2
5
20
10
0
UNDER 1 DAY
1 - 6 DAYS
7 - 13 DAYS
14 - 27 DAYS
28 - 91 DAYS
92 DAYS - 6 MONTHS
6 MONTHS - 1 YEAR


Infant Deaths By
Age Group: 2004
Males
NUMBER
19
8
5
3
7
5
4
20
15
10
5
0
UNDER 1 DAY
1 - 6 DAYS
7 - 13 DAYS
14 - 27 DAYS
28 - 91 DAYS
92 DAYS - 6 MONTHS
6 MONTHS - 1 YEAR

TABLE VII MANITOBA 2004 INFANT DEATHS BY TYPE AND ECONOMIC REGION BOTH SEXES

	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
TYPE									
INFANT	6	6	6	0	46	3	4	23	94
NEONATAL	5	5	4	0	31	3	3	16	67
POST-NEONATAL	1	1	2	0	15	0	1	7	27
STILLBIRTHS	7	13	11	5	54	9	4	14	117
PERINATAL	12	17	13	5	81	11	7	27	173
RATE (per 1,000 live births)									
INFANT	5.4	8.1	5.1	0.0	6.6	3.9	10.1	12.1	6.8
STILLBIRTHS	6.3	17.5	9.4	7.7	7.7	11.7	10.1	7.3	8.5
PERINATAL (per 1,000 total births)	10.8	22.5	11.0	7.7	11.5	14.1	17.4	14.1	12.5

NOTE: INFANT DEATH (UNDER 1 YEAR) RATES ARE PER 1000 LIVE BIRTHS
PERINATAL DEATH RATES ARE PER 1000 TOTAL BIRTHS
NEONATAL IS A DEATH UNDER 28 DAYS OF AGE, EXCLUDING STILLBIRTHS
POST-NEONATAL IS AN INFANT DEATH AT 28 DAYS OF AGE OR OVER
PERINATAL IS A DEATH AT LESS THAN 7 DAYS OF AGE OR A STILLBIRTH

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE




Stillbirth Rates
By Economic Region: 2004
Both Sexes
RATE
16.0
12.0
8.0
4.0
0.0
6.3
17.5
9.4
7.7
7.7
11.7
10.1
7.3
8.5
SOUTHEAST
S. CENTRAL
SOUTHWEST
N. CENTRAL
WINNIPEG
INTERLAKE
PARKLANDS
NORTH
MANITOBA
Rates are per 1000 Live Births


Perinatal Rates
By Economic Region: 2004
Both Sexes
RATE
20.0
15.0
10.0
5.0
0.0
10.8
22.5
11.0
7.7
11.5
14.1
17.4
14.1
12.5
SOUTHEAST
S. CENTRAL
SOUTHWEST
N. CENTRAL
WINNIPEG
INTERLAKE
PARKLANDS
NORTH
MANITOBA
Rates are per 1000 Total Births

TABLE VIII MANITOBA 2004 DEATHS BY CAUSE OF DEATH AND ECONOMIC REGION BOTH SEXES

	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
CANCER	168	117	284	106	1,568	200	154	95	2,692
HEART DISEASE	143	90	285	99	1,282	160	190	69	2,318
CEREBROVASCULAR DISEASE	45	27	70	28	373	41	54	29	667
DIABETES	20	27	40	31	238	22	32	42	452
ACCIDENTS	25	19	44	25	206	43	25	65	452
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	21	11	52	11	224	26	20	19	384
PSYCHOSES	11	7	40	7	233	12	18	12	340
HEREDITARY AND DEGENERATIVE CENTRAL NERVOUS SYSTEM	17	23	33	14	151	33	14	12	297
PNEUMONIA	18	6	32	7	114	18	27	5	227
OTHER DISEASES OF THE DIGESTIVE SYSTEM	12	16	15	3	113	12	7	9	187
NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	15	12	20	6	73	15	13	15	169
DISEASES OF ARTERIES, ARTERIOLES, CAPILLARIES	6	2	18	7	86	8	11	6	144
HYPERTENSIVE DISEASE	10	10	22	6	74	8	3	5	138
OTHER INTESTINAL AND PERITONEUM	4	5	14	3	74	9	5	7	121
INFECTIOUS AND PARASITIC DISEASES	4	2	13	10	75	6	0	6	116
OTHER RESPIRATORY DISEASES	5	4	21	2	62	4	9	8	115
METABOLIC AND IMMUNITY DISORDERS	2	4	12	8	50	4	3	1	84
MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	10	3	14	4	35	7	6	9	88
OTHER NEOPLASMS	2	9	16	3	47	3	0	3	
ILL-DEFINED AND UNKNOWN CAUSES	3	5	9	3	46	6	8	2	82
OTHER CAUSES	7	3	13	1	26	6	6	6	68
TOTAL	29	22	53	22	352	34	33	53	681
	577	424	1,120	406	5,502	677	638	478	9,822

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE




Deaths Due to Cancer
As a Percent of Regional Total: 2004
Both Sexes
PERCENT
30.0
20.0
10.0
0.0
29.1
27.6
25.4
26.1
28.5
29.5
24.1
19.9
27.4
SOUTHEAST
S. CENTRAL
SOUTHWEST
N. CENTRAL
WINNIPEG
INTERLAKE
PARKLANDS
NORTH
MANITOBA


Deaths Due to Heart Disease
As a Percent of Regional Total: 2004
Both Sexes
PERCENT
30.0
20.0
10.0
0.0
24.8
21.2
25.4
24.4
23.3
23.6
29.8
14.4
23.6
SOUTHEAST
S. CENTRAL
SOUTHWEST
N. CENTRAL
WINNIPEG
INTERLAKE
PARKLANDS
NORTH
MANITOBA

APPENDIX A

BIRTHS BY WEIGHT AND ECONOMIC REGION

TABLE A1 BIRTHS BY WEIGHT AND ECONOMIC REGION: 2004 FEMALES

WEIGHT	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 500G	2	2	--	--	7	--	--	1	12
500- 999G	1	--	2	--	18	1	1	3	26
1000-1499G	1	--	1	--	19	2	1	7	31
1500-1999G	9	1	4	3	43	2	4	15	81
2000-2499G	16	6	15	7	139	16	10	27	236
2500-2999G	73	40	77	37	534	47	30	106	944
3000-3499G	185	130	189	137	1,289	139	66	285	2,420
3500-3999G	204	127	187	93	995	128	68	296	2,098
4000-4499G	53	43	68	27	308	36	26	112	673
4500-4999G	6	4	9	6	51	4	6	34	120
5000-5499G	1	--	--	--	7	2	5	7	22
5500-5999G	--	--	--	--	--	--	--	1	1
6000G OR MORE	--	--	--	--	--	--	--	--	0
UNKNOWN	--	--	--	--	--	--	--	--	0
TOTAL	551	353	552	310	3,410	377	217	894	6,664

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



TABLE A2 BIRTHS BY WEIGHT AND ECONOMIC REGION: 2004 MALES

WEIGHT	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 500G	1	1	--	--	5	2	1	2	12
500- 999G	2	1	3	--	11	2	--	2	21
1000-1499G	3	3	7	2	11	2	1	6	35
1500-1999G	10	4	1	3	37	4	1	9	69
2000-2499G	11	7	20	9	149	9	4	37	246
2500-2999G	53	26	61	38	446	28	13	109	774
3000-3499G	140	103	184	94	1,153	106	46	263	2,089
3500-3999G	207	145	234	115	1,146	156	64	327	2,394
4000-4499G	96	77	87	60	501	68	34	188	1,111
4500-4999G	28	16	17	14	108	14	16	55	268
5000-5499G	2	5	2	2	14	2	--	10	37
5500-5999G	1	--	--	1	1	1	1	4	9
6000G OR MORE	--	--	--	--	--	--	--	--	0
UNKNOWN	--	--	--	--	--	--	--	--	0
TOTAL	554	388	616	338	3,582	394	181	1,012	7,065

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



TABLE A3 BIRTHS BY WEIGHT AND ECONOMIC REGION: 2004 BOTH SEXES

WEIGHT	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 500G	3	3	--	--	12	2	1	3	24
500- 999G	3	1	5	--	29	3	1	5	47
1000-1499G	4	3	8	2	30	4	2	13	66
1500-1999G	19	5	5	6	80	6	5	24	150
2000-2499G	27	13	35	16	288	25	14	64	482
2500-2999G	126	66	138	75	980	75	43	215	1,718
3000-3499G	325	233	373	231	2,442	245	112	548	4,509
3500-3999G	411	272	421	208	2,141	284	132	623	4,492
4000-4499G	149	120	155	87	809	104	60	300	1,784
4500-4999G	34	20	26	20	159	18	22	89	388
5000-5499G	3	5	2	2	21	4	5	17	59
5500-5999G	1	--	--	1	1	1	1	5	10
6000G OR MORE	--	--	--	--	--	--	--	--	0
UNKNOWN	--	--	--	--	--	--	--	--	0
TOTAL	1,105	741	1,168	648	6,992	771	398	1,906	13,729

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



APPENDIX B

STILLBIRTHS BY WEIGHT AND ECONOMIC REGION

TABLE B1 STILLBIRTHS BY WEIGHT AND ECONOMIC REGION: 2004 FEMALES

WEIGHT	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 500G	–	2	3	2	7	–	–	4	18
500- 999G	–	2	1	–	4	–	–	–	7
1000-1499G	–	–	1	–	1	–	–	–	2
1500-1999G	1	–	–	–	1	–	–	–	2
2000-2499G	–	–	–	–	3	–	–	–	3
2500-2999G	–	3	–	–	3	–	–	1	7
3000-3499G	–	–	1	1	1	1	–	–	4
3500-3999G	–	–	–	–	1	–	–	1	2
4000-4499G	–	1	–	–	1	1	–	–	3
4500-4999G	–	–	–	–	–	–	–	–	–
5000-5499G	–	–	–	–	–	–	–	–	–
5500-5999G	–	–	–	–	–	–	–	–	–
6000G OR MORE	–	–	–	–	–	–	–	–	–
UNKNOWN	–	–	–	–	–	–	–	–	–
TOTAL	1	8	6	3	22	2	0	6	48

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



TABLE B2 STILLBIRTHS BY WEIGHT AND ECONOMIC REGION: 2004 MALES

WEIGHT	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 500G	2	2	3	–	12	1	1	1	22
500- 999G	–	–	1	–	7	1	1	1	11
1000-1499G	1	2	–	1	1	–	–	–	5
1500-1999G	–	1	–	1	3	–	–	1	6
2000-2499G	2	–	1	–	–	1	1	–	5
2500-2999G	1	–	–	–	2	1	–	1	5
3000-3499G	–	–	–	–	6	2	–	3	11
3500-3999G	–	–	–	–	–	–	–	1	1
4000-4499G	–	–	–	–	1	1	–	–	2
4500-4999G	–	–	–	–	–	–	1	–	1
5000-5499G	–	–	–	–	–	–	–	–	–
5500-5999G	–	–	–	–	–	–	–	–	–
6000G OR MORE	–	–	–	–	–	–	–	–	–
UNKNOWN	–	–	–	–	–	–	–	–	–
TOTAL	6	5	5	2	32	7	4	8	69

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



TABLE B3 STILLBIRTHS BY WEIGHT AND ECONOMIC REGION: 2004 BOTH SEXES

WEIGHT	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 500G	2	4	6	2	19	1	1	5	40
500- 999G	–	2	2	–	11	1	1	1	18
1000-1499G	1	2	1	1	2	–	–	–	7
1500-1999G	1	1	–	1	4	–	–	1	8
2000-2499G	2	–	1	–	3	1	1	–	8
2500-2999G	1	3	–	–	5	1	–	2	12
3000-3499G	–	–	1	1	7	3	–	3	15
3500-3999G	–	–	–	–	1	–	–	2	3
4000-4499G	–	1	–	–	2	2	–	–	5
4500-4999G	–	–	–	–	–	–	1	–	1
5000-5499G	–	–	–	–	–	–	–	–	–
5500-5999G	–	–	–	–	–	–	–	–	–
6000G OR MORE	–	–	–	–	–	–	–	–	–
UNKNOWN	–	–	–	–	–	–	–	–	–
TOTAL	7	13	11	5	54	9	4	14	117

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



APPENDIX C

DEATHS BY AGE GROUP AND ECONOMIC REGION

TABLE C1 DEATHS BY AGE GROUP AND ECONOMIC REGION: 2004 FEMALES

AGE IN YEARS	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 1	2	2	1	--	25	--	2	11	43
1-4	1	--	1	1	3	2	--	1	9
5-9	1	--	--	--	2	--	--	1	4
10-14	--	--	--	--	3	--	--	5	8
15-19	--	--	2	1	7	1	1	4	16
20-24	1	2	4	1	12	--	--	3	23
25-29	--	--	1	--	15	1	1	3	21
30-34	2	--	2	--	11	--	3	2	20
35-39	7	3	3	1	22	3	--	1	40
40-44	4	--	4	4	24	3	4	3	46
45-49	7	5	8	3	49	4	5	6	87
50-54	10	1	7	6	66	7	5	8	110
55-59	7	4	21	6	94	20	8	6	166
60-64	14	5	15	11	123	10	9	18	205
65-69	11	10	21	10	150	17	9	23	251
70-74	19	13	44	16	229	28	20	20	389
75-79	31	32	55	17	351	45	27	20	578
80-84	40	30	102	26	498	60	58	28	842
85-89	45	33	133	34	522	55	57	22	901
90 AND OVER	57	52	151	48	678	78	92	21	1,177
UNKNOWN	--	--	--	--	1	--	--	--	1
TOTAL	259	192	575	185	2,885	334	301	206	4,937

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



TABLE C2 DEATHS BY AGE GROUP AND ECONOMIC REGION: 2004 MALES

AGE IN YEARS	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 1	4	4	5	--	21	3	2	12	51
1-4	--	--	--	--	1	2	1	1	5
5-9	--	--	--	1	2	--	--	2	5
10-14	1	--	--	1	3	--	--	2	7
15-19	3	4	5	3	10	7	2	15	49
20-24	5	--	2	2	22	2	2	7	42
25-29	2	1	5	1	17	2	3	5	36
30-34	2	--	2	3	27	--	4	10	48
35-39	5	1	3	1	29	5	1	8	53
40-44	5	5	9	4	58	11	4	15	111
45-49	10	3	7	4	59	5	9	6	103
50-54	6	4	14	6	117	14	6	22	189
55-59	13	9	14	17	150	18	11	14	246
60-64	17	16	27	11	173	24	13	27	308
65-69	35	17	48	27	207	20	30	25	409
70-74	29	19	57	23	302	46	39	35	550
75-79	40	28	71	34	415	55	49	19	711
80-84	62	41	108	34	447	45	62	21	820
85-89	45	36	89	32	304	52	61	14	633
90 AND OVER	34	44	79	17	253	32	38	12	509
TOTAL	318	232	545	221	2,617	343	337	272	4,885

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



TABLE C3 DEATHS BY AGE GROUP AND ECONOMIC REGION: 2004 BOTH SEXES

AGE IN YEARS	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 1	6	6	6	–	46	3	4	23	94
1-4	1	–	1	1	4	4	1	2	14
5-9	1	–	–	1	4	–	–	3	9
10-14	1	–	–	1	6	–	–	7	15
15-19	3	4	7	4	17	8	3	19	65
20-24	6	2	6	3	34	2	2	10	65
25-29	2	1	6	1	32	3	4	8	57
30-34	4	–	4	3	38	–	7	12	68
35-39	12	4	6	2	51	8	1	9	93
40-44	9	5	13	8	82	14	8	18	157
45-49	17	8	15	7	108	9	14	12	190
50-54	16	5	21	12	183	21	11	30	299
55-59	20	13	35	23	244	38	19	20	412
60-64	31	21	42	22	296	34	22	45	513
65-69	46	27	69	37	357	37	39	48	660
70-74	48	32	101	39	531	74	59	55	939
75-79	71	60	126	51	766	100	76	39	1,289
80-84	102	71	210	60	945	105	120	49	1,662
85-89	90	69	222	66	826	107	118	36	1,534
90 AND OVER	91	96	230	65	931	110	130	33	1,686
UNKNOWN	–	–	–	–	1	–	–	–	1
TOTAL	577	424	1,120	406	5,502	677	638	478	9,822

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



APPENDIX D

INFANT DEATHS BY AGE AND ECONOMIC REGION

TABLE D1 INFANT DEATHS BY AGE AND ECONOMIC REGION: 2004 FEMALES

AGE	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 1 DAY	2	2	1	--	15	--	2	4	26
1 - 6 DAYS	--	--	--	--	2	--	--	1	3
7 - 13 DAYS	--	--	--	--	1	--	--	--	1
14 - 27 DAYS	--	--	--	--	--	--	--	2	2
28 - 91 DAYS	--	--	--	--	3	--	--	1	4
92 DAYS - 6 MONTHS	--	--	--	--	1	--	--	1	2
6 MONTHS - 1 YEAR	--	--	--	--	3	--	--	2	5
INFANT	2	2	1	--	25	--	2	11	43
NEONATAL	2	2	1	--	18	--	2	7	32
POST-NEONATAL	--	--	--	--	7	--	--	4	11
STILLBIRTHS	1	8	6	3	22	2	--	6	48
PERINATAL	3	10	7	3	39	2	2	11	77

NOTE: INFANT IS A DEATH UNDER 1 YEAR OF AGE.
NEONATAL IS A DEATH UNDER 28 DAYS OF AGE, EXCLUDING STILLBIRTHS
POST-NEONATAL IS AN INFANT DEATH AT 28 DAYS OF AGE OR OVER
PERINATAL IS A DEATH AT LESS THAN 7 DAYS OF AGE OR A STILLBIRTH

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE
MANITOBA BUREAU OF STATISTICS



TABLE D2 INFANT DEATHS BY AGE AND ECONOMIC REGION: 2004 MALES

AGE	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 1 DAY	2	1	1	--	8	--	1	6	19
1 - 6 DAYS	1	1	--	--	2	2	--	2	8
7 - 13 DAYS	--	--	1	--	3	--	--	1	5
14 - 27 DAYS	--	1	1	--	--	1	--	--	3
28 - 91 DAYS	--	--	1	--	3	--	1	2	7
92 DAYS - 6 MONTHS	--	--	1	--	3	--	--	1	5
6 MONTHS - 1 YEAR	1	1	--	--	2	--	--	--	4
INFANT	4	4	5	--	21	3	2	12	51
NEONATAL	3	3	3	--	13	3	1	9	35
POST-NEONATAL	1	1	2	--	8	--	1	3	16
STILLBIRTHS	6	5	5	2	32	7	4	8	69
PERINATAL	9	7	6	2	42	9	5	16	96

NOTE: INFANT IS A DEATH UNDER 1 YEAR OF AGE
NEONATAL IS A DEATH UNDER 28 DAYS OF AGE, EXCLUDING STILLBIRTHS
POST-NEONATAL IS AN INFANT DEATH AT 28 DAYS OF AGE OR OVER
PERINATAL IS A DEATH AT LESS THAN 7 DAYS OF AGE OR A STILLBIRTH.

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE
MANITOBA BUREAU OF STATISTICS



TABLE D3 INFANT DEATHS BY AGE AND ECONOMIC REGION: 2004 BOTH SEXES

AGE	SOUTH EAST	SOUTH CENTRAL	SOUTH WEST	NORTH CENTRAL	WINNIPEG	INTERLAKE	PARKLANDS	NORTH	MANITOBA
UNDER 1 DAY	4	3	2	–	23	–	3	10	45
1 - 6 DAYS	1	1	–	–	4	2	–	3	11
7 - 13 DAYS	–	–	1	–	4	–	–	1	6
14 - 27 DAYS	–	1	1	–	–	1	–	2	5
28 - 91 DAYS	–	–	1	–	6	–	1	3	11
92 DAYS - 6 MONTHS	–	–	1	–	4	–	–	2	7
6 MONTHS - 1 YEAR	1	1	–	–	5	–	–	2	9
INFANT	6	6	6	–	46	3	4	23	94
NEONATAL	5	5	4	–	31	3	3	16	67
POST-NEONATAL	1	1	2	–	15	–	1	7	27
STILLBIRTHS	7	13	11	5	54	9	4	14	117
PERINATAL	12	17	13	5	81	11	7	27	173

NOTE: INFANT IS A DEATH UNDER 1 YEAR OF AGE
NEONATAL IS A DEATH UNDER 28 DAYS OF AGE, EXCLUDING STILLBIRTHS
POST-NEONATAL IS AN INFANT DEATH AT 28 DAYS OF AGE OR OVER
PERINATAL IS A DEATH AT LESS THAN 7 DAYS OF AGE OR A STILLBIRTH

DATA SOURCE: VITAL STATISTICS AGENCY, MANITOBA FINANCE

MANITOBA BUREAU OF STATISTICS



Manitoba